

Appendix W Topics covered in the report and archived data

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
<u>Interviewer visit</u>			
Height measurement (age 2+ years)	•	•	•
Weight measurement (all ages)	•	•	•
ActiGraph (age 4-15 years ²)	•	•	•
Recent Physical Activity Questionnaire (RPAQ) (age 16+ years) ³	•	•	•
CAPI (Main Food Provider)			
Household information		•	•
Cooking and storage facilities		•	•
Shopping for food		•	•
Food preparation		•	•
Job and income of Household Reference Person		•	•
CAPI (Individual participant)			
Cooking skills (age 7+ years) ⁴		•	•
Access to food at school (aged 1.5-15 years (or aged 16/17 years and in full-time education)		•	•
Eating out and other provision (all ages)		•	•
Eating habits (all ages)		•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future¹
Food allergies/avoidance ⁵	•	•	•
General health (all ages)		•	•
Oral health (age 16+ years)		•	•
Drinking (age 8+ years; those aged 8-17 years given a self-completion booklet)	•	•	•
Smoking (age 8+ years; those aged 8-17 years given a self-completion booklet)	•	•	•
Education (age 16+ years)	•	•	•
Use of dietary supplements (including whether a participant is a supplement taker for the previous 12 months) (all ages)	•	•	•
Sun exposure - (where (latitude) and when holidays were taken)		•	•
Dietary data (1.5 years and over)			
Daily intake of all individual foods and nutrients from each of the individual foods by day and eating occasion		•	•
Where and with whom data (including whether at table/tv on) for each eating occasion		•	•
Daily intake of food groups		•	•
Disaggregated daily intakes for meat, fish, fruit and vegetables		•	•
Per cent contribution of food groups to energy and nutrients	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future¹
Dietary data (1.5 years and over) <i>continued</i>			
Daily intake of energy and nutrients		•	•
Mean intake of food groups	•	•	•
Disaggregated mean intakes for meat, fish, fruit and vegetables	•	•	•
Mean intake of energy and macronutrients	•	•	•
Mean intake of micronutrients from food sources only	•	•	•
Mean intake of micronutrients from all sources including supplements	•	•	•
Mean micronutrient intakes as per cent RNI from food sources only	•	•	•
Mean micronutrient intakes as per cent RNI from all sources including supplements	•	•	•
Per cent below LRNI for micronutrients from food sources only	•	•	•
Per cent below LRNI for micronutrients from all sources including supplements	•	•	•
Use of dietary supplements (including whether a participant is a supplement taker during the diary period)	•	•	•
Energy expenditure data (doubly labelled water) (sub-sample of participants age 4+ years)		•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
<u>Nurse visit</u>			
Infant length measurements (age 1.5 -2 years)		•	•
Prescribed medicines (all ages)		•	•
Mid upper arm circumference (age 2-15 years)		•	•
Blood pressure (age 4+ years) ⁶	•	•	•
Waist and hip circumference (age 11 + years) ⁶	•	•	•
Body Mass Index (all ages)	•	•	•
Demispan (ages 65+ or no height measurement taken)	• ⁷	•	•
24-hour Urine (age 4-18 and 65+ years)⁸			
Sodium	•	•	•
Potassium ⁹	•	•	•
Nitrogen ⁹	•	•	•
Creatinine ⁹	•	•	•
Urea ⁹	•	•	•
PABA ¹⁰	•	•	•
24-hour Urine (age 19-64 years)⁸			
Sodium	•	•	•
Potassium ⁹	•	•	•
Nitrogen ⁹	•	•	•
Creatinine ⁹	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
24-hour Urine (age 19-64 years) <i>continued</i>			
Urea ⁹	•	•	•
PABA ¹⁰	•	•	•
Blood Sample (1.5-3 years)		•	•
Blood Sample (4-10 years)			
Haemoglobin concentration	•	•	•
Plasma ferritin	•	•	•
Plasma vitamin C	•	•	•
Vitamin B ₁₂	•	•	•
Erythrocyte transketolase: activation coefficient (ETKAC)	•	•	•
Erythrocyte glutathione reductase: activation coefficient (EGRAC)	•	•	•
Plasma vitamin B ₆ : Pyridoxyl-5-phosphate	•	•	•
Red cell folate ¹¹		•	•
Serum folate ^{11,12}		•	•
Plasma retinol	•	•	•
Plasma α -carotene	•	•	•
Plasma β -carotene	•	•	•
Plasma α -cryptoxanthin	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future¹
Blood Sample (4-10 years) <i>continued</i>			
Plasma β -cryptoxanthin	•	•	•
Plasma lycopene	•	•	•
Plasma lutein and zeaxanthin	•	•	•
Plasma 25-hydroxyvitamin D ¹³	•	•	•
Plasma α -tocopherol	•	•	•
Serum total cholesterol	•	•	•
Serum HDL cholesterol	•	•	•
Serum Non-HDL cholesterol	•	•	•
Plasma selenium ¹⁴	•	•	•
Plasma zinc ¹⁴	•	•	•
Haematocrit ¹⁵	•	•	•
Serum high sensitivity C-reactive protein ¹⁵	•	•	•
Plasma transferrin receptors ^{14,15}	•	•	•
Plasma vitamin B ₆ : Pyridoxic acid ¹⁵	•	•	•
Plasma homocysteine ^{14,15}	•	•	•
Plasma retinyl palmitate ¹⁵	•	•	•
Plasma γ -tocopherol ¹⁵	•	•	•
Serum triglycerides ^{15,16}	•	•	•
Red blood cell count		•	•
Mean cell volume		•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (4-10 years) <i>continued</i>			
Mean cell haemoglobin		•	•
Mean cell haemoglobin concentration		•	•
Red cell distribution width		•	•
Platelet count		•	•
White cell count		•	•
Neutrophil count		•	•
Lymphocyte count		•	•
Monocyte count		•	•
Eosinophil count		•	•
Basophil count		•	•
Plasma creatinine		•	•
Glycosylated haemoglobin (HBA1c) ¹⁷		•	•
Glucose ^{14,17}		•	•
Triiodothyronine, Free (T3) ¹⁷		•	•
Thyroxine, free (T4) ¹⁷		•	•
Thyrotropin (thyroid-stimulating hormone, TSH) ¹⁷		•	•
Blood Sample (age 11-18 years)			
Haemoglobin concentration	•	•	•
Plasma ferritin	•	•	•
Plasma vitamin C	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (11-18 years) <i>continued</i>			
Vitamin B ₁₂	•	•	•
Erythrocyte transketolase: activation coefficient (ETKAC)	•	•	•
Erythrocyte glutathione reductase: activation coefficient (EGRAC)	•	•	•
Plasma vitamin B ₆ : Pyridoxyl-5-phosphate	•	•	•
Red cell folate ¹¹		•	•
Serum folate ^{11,12}		•	•
Plasma retinol	•	•	•
Plasma α-carotene	•	•	•
Plasma β-carotene	•	•	•
Plasma α-cryptoxanthin	•	•	•
Plasma β-cryptoxanthin	•	•	•
Plasma lycopene	•	•	•
Plasma lutein and zeaxanthin	•	•	•
Plasma 25-hydroxyvitamin D ¹³	•	•	•
Plasma α-tocopherol	•	•	•
Serum total cholesterol	•	•	•
Serum HDL cholesterol	•	•	•
Serum Non-HDL cholesterol	•	•	•
Plasma selenium	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future¹
Blood Sample (11-18 years) <i>continued</i>			
Plasma zinc	•	•	•
Haematocrit ¹⁵	•	•	•
Serum high sensitivity C-reactive protein ¹⁵	•	•	•
Plasma transferrin receptors ¹⁵	•	•	•
Plasma vitamin B ₆ : Pyridoxic acid ¹⁵	•	•	•
Plasma homocysteine ¹⁵	•	•	•
Plasma retinyl palmitate ¹⁵	•	•	•
Plasma γ -tocopherol ¹⁵	•	•	•
Serum triglycerides ¹⁵	•	•	•
Red blood cell count		•	•
Mean cell volume		•	•
Mean cell haemoglobin		•	•
Mean cell haemoglobin concentration		•	•
Red cell distribution width		•	•
Platelet count		•	•
White cell count		•	•
Neutrophil count		•	•
Lymphocyte count		•	•
Monocyte count		•	•
Eosinophil count		•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (11-18 years) <i>continued</i>			
Basophil count		•	•
Plasma creatinine		•	•
Glycosylated haemoglobin (HBA1c) ¹⁷		•	•
Glucose ¹⁷		•	•
Triiodothyronine, Free (T3) ¹⁷		•	•
Thyroxine, free (T4) ¹⁷		•	•
Thyrotropin (thyroid-stimulating hormone, TSH) ¹⁷		•	•
Blood Sample (age 19-64 years)			
Haemoglobin concentration	•	•	•
Plasma ferritin	•	•	•
Plasma vitamin C	•	•	•
Vitamin B ₁₂	•	•	•
Erythrocyte transketolase: activation coefficient (ETKAC)	•	•	•
Erythrocyte glutathione reductase: activation coefficient (EGRAC)	•	•	•
Plasma vitamin B ₆ : Pyridoxyl-5-phosphate	•	•	•
Red cell folate ¹¹		•	•
Serum folate ^{11,12}		•	•
Plasma retinol	•	•	•
Plasma α -carotene	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future¹
Blood Sample (19-64 years) <i>continued</i>			
Plasma β -carotene	•	•	•
Plasma α -cryptoxanthin	•	•	•
Plasma β -cryptoxanthin	•	•	•
Plasma lycopene	•	•	•
Plasma lutein and zeaxanthin	•	•	•
Plasma 25-hydroxyvitamin D ¹³	•	•	•
Plasma α -tocopherol	•	•	•
Serum total cholesterol	•	•	•
Serum HDL cholesterol	•	•	•
Serum Non-HDL cholesterol	•	•	•
Plasma selenium	•	•	•
Plasma zinc	•	•	•
Haematocrit ¹⁵	•	•	•
Serum high sensitivity C-reactive protein ¹⁵	•	•	•
Plasma transferrin receptors ¹⁵	•	•	•
Plasma vitamin B ₆ : Pyridoxic acid ¹⁵	•	•	•
Plasma homocysteine ¹⁵	•	•	•
Plasma retinyl palmitate ¹⁵	•	•	•
Plasma γ -tocopherol ¹⁵	•	•	•
Serum triglycerides ¹⁵	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (19-64 years) <i>continued</i>			
Red blood cell count		•	•
Mean cell volume		•	•
Mean cell haemoglobin		•	•
Mean cell haemoglobin concentration		•	•
Red cell distribution width		•	•
Platelet count		•	•
White cell count		•	•
Neutrophil count		•	•
Lymphocyte count		•	•
Monocyte count		•	•
Eosinophil count		•	•
Basophil count		•	•
Plasma creatinine		•	•
Glycosylated haemoglobin (HBA1c) ¹⁷		•	•
Glucose ¹⁷		•	•
Triiodothyronine, Free (T3) ¹⁷		•	•
Thyroxine, free (T4) ¹⁷		•	•
Thyrotropin (thyroid-stimulating hormone, TSH) ¹⁷		•	•
Blood Sample (age 65+ years)			
Haemoglobin concentration	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (age 65+ years) <i>continued</i>			
Plasma ferritin	•	•	•
Plasma vitamin C	•	•	•
Vitamin B ₁₂	•	•	•
Erythrocyte transketolase: activation coefficient (ETKAC)	•	•	•
Erythrocyte glutathione reductase: activation coefficient (EGRAC)	•	•	•
Plasma vitamin B ₆ : Pyridoxyl-5-phosphate	•	•	•
Red cell folate ¹¹		•	•
Serum folate ^{11,12}		•	•
Plasma retinol	•	•	•
Plasma α -carotene	•	•	•
Plasma β -carotene	•	•	•
Plasma α -cryptoxanthin	•	•	•
Plasma β -cryptoxanthin	•	•	•
Plasma lycopene	•	•	•
Plasma lutein and zeaxanthin	•	•	•
Plasma 25-hydroxyvitamin D ¹³	•	•	•
Plasma α -tocopherol	•	•	•
Serum total cholesterol	•	•	•
Serum HDL cholesterol	•	•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (age 65+ years) <i>continued</i>			•
Serum Non-HDL cholesterol	•	•	•
Plasma selenium	•	•	•
Plasma zinc	•	•	•
Haematocrit ¹⁵	•	•	•
Serum high sensitivity C-reactive protein ¹⁵	•	•	•
Plasma transferrin receptors ¹⁵	•	•	•
Plasma vitamin B ₆ : Pyridoxic acid ¹⁵	•	•	•
Plasma homocysteine ¹⁵	•	•	•
Plasma retinyl palmitate ¹⁵	•	•	•
Plasma γ -tocopherol ¹⁵	•	•	•
Serum triglycerides ¹⁵	•	•	•
Red blood cell count		•	•
Mean cell volume		•	•
Mean cell haemoglobin		•	•
Mean cell haemoglobin concentration		•	•
Red cell distribution width		•	•
Platelet count		•	•
White cell count		•	•
Neutrophil count		•	•
Lymphocyte count		•	•

Topic area and age group included in reported/archived data	Included in current report	Included in archived data	Intend to report/archive in future ¹
Blood Sample (age 65+ years) <i>continued</i>			
Monocyte count		•	•
Eosinophil count		•	•
Basophil count		•	•
Plasma creatinine		•	•
Glycosylated haemoglobin (HBA1c) ¹⁷		•	•
Glucose ¹⁷		•	•
Triiodothyronine, Free (T3) ¹⁷		•	•
Thyroxine, free (T4) ¹⁷		•	•
Thyrotropin (thyroid-stimulating hormone, TSH) ¹⁷		•	•

¹ Currently the archived dataset contains core UK cases only; Scotland boost cases will be archived in 2015.

² Ages 4-10 years only in Year 1.

³ Included from Year 2.

⁴ Questions included in Year 1 only.

⁵ The published report only includes information about vegetarian/vegan diets.

⁶ Year 1-4 report covers adults (aged 19 years and over) only.

⁷ In the report, demispan data is combined with height

⁸ Urinary analyte results have only been provided in the Year 1-4 report and archive dataset for samples that are deemed to be complete.

⁹ Descriptive statistics for this analyte are presented in Appendix S of the Year 1-4 report.

¹⁰ Whilst % PABA recovery results have not been included in the archive dataset, a variable indicating whether a sample is complete, over or incomplete by the standard criteria or the child claim only criteria has been provided in the archive dataset.

¹¹ Results have been delayed due to problems with the analysis and will be published as soon as they are available.

¹² In addition to total serum folate data, data for the individual forms of serum folate will be included in the archive dataset.

¹³ 25-hydroxyvitamin D was measured in plasma for Years 1-3 and for Year 4 samples taken during the first six issued fieldwork months (404-409). For samples taken during the last six issued fieldwork months of Year 4 (410-412), 25-hydroxyvitamin D was measured in serum. Concentrations of 25-hydroxyvitamin D have been shown to be the same in both plasma and serum.

¹⁴ This analyte was only measured for participants aged seven years and over.

¹⁵ Descriptive statistics for this analyte are presented in Appendix Q of the Year 1-4 report.

¹⁶ This analyte was only measured for participants aged four years and over who provided a fasted blood sample.

¹⁷ This analyte was funded separately. Results are not included in this report but will be archived.